



Solana GmbH

Albert-Einstein-Ring 5
22761 Hamburg
Germany
Phone +49 (0)40 41 42 40-0
Fax +49 (0)40 41 77 16
info@solana.de
www.solana.de



Queen Anne is an early, cooking type B, very homogeneous table variety with a bright skin. A pre is its very high fraction of marketable yield (35/60). Despite maturity class early, it has a good storability. Queen Anne shows very good resistances against PVY, PVY^{ntn}, Rhizoctonia, bruising, common scab, internal rust spots, silver scurf and alternaria. Resistant against Ro 1, 4 and potato wart disease race 1.

Plant

Maturity	Early
Plant type	Stem type
Growth habit	Semi-upright
Color of flower	White
Foliage development	Rapid
Number of tubers	High
Dormancy	High

Tuber characteristics

Tuber shape	Long oval
Flesh color	Yellow
Eye depth	Very shallow
Skin color	Yellow
Skin characteristic	Smooth

Resistances

Nematodes	Ro 1, Ro 4
Potato wart disease	Race 1
Leaf blight	Medium, High
Tuber blight	High
Rhizoctonia	High
Black leg	High, Very high
Common scab	High
Internal rust spot	High
Silver scurf	High, Very high
Damages	High
Bruising	Very high
PVY	Very high
PVY ntn	Very high
PLRV	Very high

Yield and Quality

Market outlet	Ware, Pre-packing
Yield	Very high
Share undersize	Very low, Low
Cooking type	Fairly firm cooking
After cooking discoloration	Low
Discoloration raw	Low